

IOWA 811
ONE CALLSM
ITIC USER'S MANUAL

MAY 2018

INTRODUCTION

Welcome to ITIC NextGen – the future of online ticketing!

Online ticketing systems have required users to spend their time entering text information before allowing them to do the all-important work of finding their the dig site on a map. As we considered ways to improve the online ticketing process, we became convinced that if users identified their dig site on the map *first*, nearly all text entry could be automated. As our research in modernizing on-line ticketing continued, we found other ways to save the user time and effort by building the notification center's business rules into the system.

One of the biggest differences you will notice from the very first time you use NextGen is that identifying your dig site starts, not ends, with an aerial photo of your work area. After minimal text entry, easy-to-use tools allow you to specify each individual dig location within your work area. Once you have specified all the work areas, NextGen automatically divides or combines them into the appropriate number of tickets, each one complete with text-based location information. That's right - NextGen presents you with *completed* tickets for your review.

We believe NextGen will change the way people think about damage prevention. For the very first time: an online ticketing application:

- **Starts the process with an aerial photo.** Use the width of streets, the location of buildings, and the location of other geographic features to help identify where you are digging in relation to the actual conditions at your work site.
- **Uses the information contained in the notification center's base map.** NextGen helps you complete your ticket, allowing you to fully concentrate on identifying the precise location where you will dig instead of entering text.
- **Gives you the means to *precisely* define the area in which your work will take place.** We've eliminated the need to "go broad" or "over-cover" your work site. Each individual excavation site you define will be compared with the notification center's database so affected operators are notified.

This manual is divided into two parts. The first is a "quick start" that covers the basics of using NextGen to file your locate requests. Long-time ITIC users may be more comfortable starting here. The second section provides more detailed information about NextGen's advanced features. With that in mind, all users will benefit from reviewing some of the new terms and ideas used in discussing creating an online ticket with NextGen.

Session – A period of user interaction with NextGen characterized by defining one or more *excavation entities* which subsequently results in the creation of one or more tickets.

INTRODUCTION - DEFINITION OF TERMS

Excavation Entity – A circle, route, parcel, GPS generated polygon or free-hand polygon representing an area of excavation (see below). The NextGen user creates a discrete excavation entity during a session as they identify the limits of an area of work. Users can create as many excavation entities as necessary during a single session.

Route – An excavation entity created when a user selects a series of points on a map that form a continuous line. The line is converted into an excavation entity based on the “width” specified by the user.

Circle – An excavation entity created when a user selects a point on a map that is then converted into a circle based on the length of the radius requested by the user.

Parcel – An excavation entity created when a user selects part or all of a parcel of property. Parcel size is often associated with a single address and does not include the road right of way. Users can extend parcel size with the “parcel” tool. NOTE: Available parcel data may be limited in some areas.

That's it! Turn to the next page to get started.

TABLE OF CONTENTS

INTRODUCTION

Introduction pg. 1

Introduction - Definition of Terms pg. 2

About Your Session pg. 4

QUICK START GUIDE: CONFIRMING YOUR CONTACT

Logging In pg. 7

Landing Page pg. 8

QUICK START GUIDE: CREATING EXCAVATION ENTITIES

The Map pg. 10

QUICK START GUIDE: VERIFYING AND RELEASING COMPLETED TICKETS

Ticket Information Page pg. 14

Ticket Disposition Page pg. 16

Utility Notification List pg. 17

ADVANCED GUIDE

Advanced/Alternate Search pg. 19

Create Circle pg. 20

Create Route pg. 22

Select Parcel pg. 25

Select Feature pg. 27

Create Polygon pg. 29

Create GPS pg. 31

Entity Grouping pg. 37

Precise Mapping and Why It's Important pg. 41

ABOUT YOUR SESSION - A QUICK OVERVIEW

Session – A period of user interaction with ITIC characterized by defining one or more *excavation entities* which subsequently results in the creation of one or more tickets.

The workflow of a session consists of three parts:

Confirming your contact and profile (if used) information

Upon logging in, ITIC will present you with the contact information on file with the Iowa One Call call center. At the start of the session, you will be able to update this record so that modified information appears on all locate requests you generate. You can also modify or create new profiles as needed before actually beginning the process of creating your tickets. Finally, you can modify the record on each ticket individually during the ticket creation process.

Creating excavation entities to cover your work areas

The number of excavation entities you can create in a single session is unlimited. Feel free to create as many as required to meet your needs. ITIC applies the business rules as established by IOC to split or combine the excavation entities into the appropriate number of locate requests. Tickets will be presented to you for your review and confirmation, complete with text field entries, such as county, city, and street names, based on your excavation entities.

It is important to devote your full attention to the creation of the excavation entities because they are the foundation that ITIC uses to determine which utilities need to be notified. ITIC includes a series of tools designed to help users create excavation entities for the most common types of excavations (route, single point, etc.).


Suggested Next Step

ITIC offers updated advice on how to proceed, whether at the beginning, middle, or end of the process. Look for this box at the top of the screen. The text will continually refresh as you work through your session.

Suggested Next Step

Click one of the larger buttons to the right of the map to create an excavation area OR Enter a starting location in the "Starting Address Location" window OR zoom/pan to the general location of the planned excavation OR click on the "Advanced/Alternate Search" button to the right.

ABOUT YOUR SESSION - CONTINUED



Admin (Button)

Clicking this button will allow the user to edit caller or profile information.

Hover Help

Hovering the cursor over different ITIC features will display helpful information.

ISITE Home (Button)


Clicking this button will abandon your session and return you to the iSite Main Menu.

Help (Button)

Clicking this button will display a page with links to training materials.

Chat (Button)

Clicking this button will connect you with the Live Help Chat function. Live Help Chat is only available during normal call center hours.



Complete, review, and release your tickets

ITIC presents you with partially completed tickets once you indicate you have finished a session. You must enter precise marking instructions on each ticket. Alerts will appear if any other text fields need further review. Those most commonly in need of attention are special purpose fields, such as those indicating whether explosives or trenchless technology (horizontal boring) will be used.

Sections missing required information are marked with a red exclamation point (!). Tickets that are waiting for review are marked with a red globe. All users will be required to review the completed ticket prior to moving to the next step.

Ticket A !			
EXCAVATOR INFORMATION			
EXCAVATION INFORMATION ! PROFILE			
ALT CONTACT	JAKE CHAMBERS	ALT PHONE	555-555-5555
TYPE OF WORK	[Red border]		
WORKING FOR COMPANY	[Red border]		
BLASTING	N	PLOWING	N
TRENCHING	N	BACKHOE	N
BORING	N	OTHER	Y
IS JOB WHITE LINED	N	DURATION	1 DAY

Fields missing required information will be highlighted with a red border.



IOWA 811 **ONE CALL**SM

**ITIC QUICK START GUIDE:
CONFIRMING YOUR CONTACT
AND PROFILE INFORMATION**

LOGGING IN

To access ITIC point your web browser to <https://ia.itic.occinc.com>

If you do not already have an ITIC login, click the **NEED TO REGISTER?** button located below the login and password fields.

If you have forgotten your login information, you can also click the **FORGET YOUR PASSWORD?** link, also located below the login and password fields.

Once you enter your password and login and hit return, you'll be logged in to the sandbox.

ISITE IS READY TO HELP
LOGIN TO BEGIN

USERNAME
 PASSWORD

LOGIN

[FORGOT YOUR PASSWORD?](#)

[NEED TO REGISTER?](#)

[Search and Status](#)

811 **ONE CALL CONCEPTS**
When safety is on the line.

LANDING PAGE

By default, you will be logged into NextGen.

The screenshot displays the NextGen landing page interface. At the top, there is a banner for "IOWA 811 ONE CALL" with the website "www.IOWAONECALL.COM". Below the banner, a navigation bar includes "Contact", "Help", and "Chat" buttons. A sidebar on the left contains several menu items: "NextGen", "ITIC", "IMAP", "DAMAGE MANAGER", "EXCAVATOR TICKET MANAGEMENT", "LOCATOR TICKET MANAGEMENT", "SEARCH & STATUS", "UNREAD MESSAGES", and "LOGOUT". The main content area is titled "PLEASE MAKE YOUR SELECTION..." and features tabs for "IA", "LA", "MD", "MN", and "MO". The "IA" tab is selected. The form is divided into two sections: "CALLER INFORMATION" and "PROFILE INFORMATION".

CALLER INFORMATION

PROFILE INFORMATION

ALT NAME	JAKE CHAMBERS	ALT PHONE	855-55
ADDITIONAL EMAIL RECIPIENTS			
TYPE OF WORK	INSTALLATION OF FENCE		
WORKING FOR COMPANY	JIMMY		
BLASTING	N	PLOWING	N
TRENCHING	N	BACKHOE	N
BORING	N	OTHER	Y
IS JOB WHITE LINED	N	DURATION	1

A large "ITIC NextGen" logo is overlaid on the right side of the screenshot.

The first page of NextGen is broken into two sections, **Caller Information** and **Profile Information**.

The **Caller Information** section contains identifying and contact information for your company. You can edit your Caller Information at any time. After changing information, you must advance to the next field before the **SAVE CHANGES** button will appear in the upper-right corner. Click this button to retain any changes you have made. **NOTE:** If you edit any fields in the Caller Information section but do not exit the field and **SAVE CHANGES**, your *changes will be made for this session only*.

Create new Profiles or select from a list of existing profiles in the **Profile Information** section. Profiles are used to auto-fill specific fields with your routinely used information. Utilizing the 'Profiles' feature will enable ITIC to 'remember' your information - saving you time in the Locate Request process.

Click the **NEW TKT** button when you are ready to start. NextGen will then take you to the Map page.

Users who have ITIC privileges in multiple states will see a series of "tabs" across the top of the ticket entry window. Select the state in which you will file your locate request by clicking on the corresponding tab.



IOWA 811 **ONE CALL**SM

**ITIC QUICK START GUIDE:
CREATING EXCAVATION ENTITIES**

THE MAP

Map your work site(s) to begin filing a ticket with ITIC. Several tools are available to help you accurately map your locate requests:

Starting Address Location

Use this search field to find an address, an intersection, or the name of a business or municipal building that can serve as the starting point for your excavation(s).

Advanced/Alternate Search

Use the Advanced Search tool to find locations that do not appear in the Starting Address Search. You can use the drop-down menu to search by more specific address information, coordinates, map grids, mapping from a previous locate request, or GPS locations. [See pg. 19 for more info].

Map View Buttons

Change the image of the map to the Call Center map view, Google map view, or Satellite view (pictured). We recommend using satellite view whenever you create excavation entities.

Identify

Identify map features that do not display a name (such as roads, highways, rivers, etc.) with this tool. The name will appear in the top section of the map next to "Highlight." The Identify tool is also useful for identifying the address range of a specific block. Note: zooming in on the map makes more names visible.

Placemark


Place a pin-mark on the map for later reference with this tool. This can be very helpful when used in conjunction with the Measure tool. NOTE: Placemarks only last the duration of the session in which they are created.

Frame


Use this function to center the map on:
A) Excavation entities you have created.
B) Placemarks you have created.
C) Both of the above.
(Use the drop-down menu to select A, B, or C)

Measure

Use this tool to measure the distance between points on the map. Get in the habit of using this tool regularly to ensure proper coverage of excavation areas and confirm distances along roads.



THE MAP - CONTINUED



Entity Creation Buttons

Several tools are available to create excavation entities that encompass your work location. The tools are based on the most commonly described kinds of excavation areas. Choose the one that best meets your needs. Find out more in the following descriptions:

Create Circle

Generates a circular excavation entity, or a series of circular polygons. This tool is an excellent choice for jobs involving pole installation, tree planting, etc.
(See pg. 20 for more info.)

Create Route

Creates long, narrow excavation entities. This tool is an excellent choice for jobs involving "long and skinny" work that does not take place in a roadway.
(See pg. 22 for more info.)

Select Parcel

Defines excavation entities based on available parcel data. Use the Select Parcel tool when a dig site is confined to all or part of a piece of private property.
(See pg. 25 for more info.)

Select Feature

Creates excavation entities that look similar to those created by the Create Route tool. The Select Feature tool defines excavation entities when you click on map features. Select this tool for jobs contained primarily in the roadway.
(See pg. 27 for more info.)

Create Polygon

Reserved for situations where no other excavation entity will properly cover the dig site, the Create Polygon tool allows you to draw an entity polygon "free-hand." (See pg. 29 for more info.)

Create GPS

Delineates an excavation entity using your device's GPS capability while in the field.

Note: Do not use this tool when inputting tickets offsite.

(See pg. 31 for more info.)

Load Shapefiles

Use this tool if you have shape (.shp/.shx) files that define points, lines or polygons covering your dig site. ITIC will then convert your shapefiles to excavation entities.

Edit Locate(s)

Using this tool deletes or modifies existing excavation entities. You can left-click on any existing entity polygon to edit it, or right-click to delete it while the Edit Locate(s) tool is active.

MAPPING YOUR WORKSITE(S)

Create at least one excavation entity to encompass each dig site after locating your general work location on the map. Create as many excavation entities, in any combination, as you need to cover the work site(s).

The screenshot displays the NextGen software interface. At the top left, there is a 'Suggested Next Step' box with instructions: 'Click the "Next" button at the bottom right to generate tickets OR click one of the larger buttons to the right of the map to create another excavation area OR Enter a starting location in the "Starting Address Location" window OR zoom/pan to the location of the planned excavation OR click on the "Advanced/Alternate Search" button to the right.' Below this is a search bar containing '3225 Crestline Dr, Davenport, IA 52803, USA'. The main map area shows an aerial view of a residential neighborhood with several orange polygons and circles overlaid on it, indicating mapped work sites. The interface includes various tool buttons on the right side, such as 'Call Center', 'Sat', 'Google', 'Measure', 'Identify', 'Placemark', 'Frame', 'Create Circle', 'Create Route', 'Select Feature', 'Create Polygon', 'Load Shapefile', and 'Edit Locate(s)'. A 'NEXT' button is located at the bottom right of the map area.

In this example the work site has been mapped out using the **Create Circle**, **Select Feature** and **Select Parcel** tools.

When you have mapped out your entire work area click the **NEXT** button. ITIC will display the Ticket Information page.



IOWA 811 **ONE CALL**SM

**ITIC QUICK START GUIDE:
VERIFYING AND RELEASING COMPLETED TICKETS**

TICKET INFORMATION PAGE

ITIC calculates the most efficient way to break up or combine the excavation entities you have created and assign them to locate requests. ITIC automatically applies the business rules as established by Iowa One Call to make this determination. The tickets appear at the top of the screen. Each tab represents a ticket.

Excavator Information

is drawn from the information you confirmed at the start of the session (See pg. 8 for more info.)


Excavation Information

is auto-filled with information you entered in the Profile section of the ITIC landing page. Change this information by choosing a different profile using the profile drop-down menu. You can also fill out the fields by hand.

NextGen enters the **Location Information** based on the data encoded in the base map where you created each excavation entity. Carefully review all information in this section, paying particular attention to the **Marking Instructions**.

If you edit this information, your ticket may be held and reviewed by staff at the notification center. Please be aware that the review process may delay the release of your ticket.

Review the information on each ticket for accuracy and make any necessary additions or revisions. Here are some tips that will assist you in that process:



Iowa One Call will automatically send you a copy of your completed ticket. Click the **CC EMAIL** button to send a copy of the ticket to another email address.


TICKET INFORMATION PAGE - CONTINUED

The **red border** indicates a required field. Fill out all fields with a red border or you will not be able to proceed.

The **Red Exclamation Point** !

appears when there is missing information in the corresponding ticket. Enter the missing information or you will be unable to proceed.

The **Green Chain-Link**  indicates the **Group Edit** function is active on the corresponding ticket(s).



The screenshot shows a web interface for managing tickets. At the top, there are three tabs: 'Ticket A' (highlighted in yellow), 'Ticket B', and 'Ticket C'. Each tab has a small icon: Ticket A has a green chain-link and a red exclamation point; Ticket B has a red globe, a green chain-link, and a red exclamation point; Ticket C has a red globe and a red exclamation point. Below the tabs, there are two sections: 'EXCAVATOR INFORMATION' and 'EXCAVATION INFORMATION'. Both sections have a green chain-link icon and a 'Group Edit' link. The 'EXCAVATION INFORMATION' section also has a 'PROFILE' button. The form contains several fields: 'ALT CONTACT' (JAKE CHAMBERS), 'ALT PHONE' (555-555-5555), 'TYPE OF WORK' (empty red-bordered field), 'WORKING FOR COMPANY' (empty red-bordered field), 'BLASTING' (dropdown menu), 'TRENCHING' (dropdown menu), 'BORING' (dropdown menu), 'IS JOB WHITE LINED' (dropdown menu), 'PLOWING' (dropdown menu), 'BACKHOE' (dropdown menu), 'OTHER' (dropdown menu), 'DURATION' (1), and 'DAY' (dropdown menu). Red lines connect the text descriptions to the corresponding icons and fields in the screenshot.

Group Edit: Group Edit

Click on this link to toggle Group Edit on or off. The Group Edit feature allows you to edit the Excavator Information and/or Excavation Information on multiple tickets at one time. When Group Edit is activated any change you make will appear on each ticket. Group Edit is not available for use with Location Information. In contrast, Individual Edit mode allows you to enter information on a single ticket.

The **Red Globe**

indicates the corresponding ticket is waiting for review. You must review the mapping, location and excavation information or you will be unable to proceed.

When you are certain all ticket information is accurate, select the next ticket by clicking a tab and review the next ticket. Once you have completed and reviewed all tickets click the **NEXT** button in the lower right corner of the page.

This will take you to the **Ticket Disposition** page.

NEXT

TICKET DISPOSITION PAGE

You can edit the **Start Date and Time**, and the **Action** ITIC will take for each ticket.

The **Ticket Type** will display the type of ticket you selected when initially creating the ticket.

The **Work to Begin Date** defaults to the earliest available time and date (specified by statute) based on the type of ticket you have created. Use the menus to alter the **Work to Begin Date and Time** to a later date, if needed.

Ticket Action

Use the drop-down menus to assign an action to each ticket individually, or use the white arrow key to assign the same action to all tickets. (See box below for more info.)

Suggested Next Step
Click on each "Ticket" tab below to review the "Ticket Type" and "Work to Begin" dates and times. In the "Session Disposition" section, select an action item for each ticket individually, or use the "arrow" button next to the "Action" column to change ALL tickets. When ready, click on the "Submit" button in the lower right

ONE CALL CONCEPTS
ISITE Home Help
Admin Chat

Ticket A Ticket B Ticket C

TICKET DISPOSITION Group Edit

TICKET TYPE: COMPLIANT
WORK TO BEGIN DATE: 6/21/2016
WORK TO BEGIN TIME: 1 : 00 PM

SESSION DISPOSITION

Ticket	State/County	Place	Address	Cross Street	Ticket Type	Action Date	Action
Ticket A	IA/SCOTT	DAVENPORT	3225 CRESTLINE DR	ELMORE AVE	COMPLIANT	6/21/2016	RELEASE
Ticket B	IA/SCOTT	PLEASANT VALLEY TWP	6TH ST	BROADLAWN AVE	COMPLIANT	6/21/2016	RELEASE
Ticket C	IA/SCOTT	BETTENDORF	6TH ST	BROADLAWN AVE	COMPLIANT	6/21/2016	RELEASE

SUBMIT

When you have completed your entire review, click the **SUBMIT** button. This commits the ticket(s) to the actions you have assigned. If you chose to **RELEASE** your ticket(s), ITIC will present you a list of utilities to be notified.

AVAILABLE ACTIONS

Discard abandons the ticket. If you choose this function, the ticket will not be transmitted, and all work you have done on it (mapping, location information, etc.) will be discarded.

Release transmits the ticket to the notification center for review or directly to the affected utilities (depending on your NextGen User Privileges).

NOTE: ticket numbers are only assigned when a locate request is directly released. Reviewed tickets are assigned numbers upon release by notification center staff.

UTILITY NOTIFICATION LIST

ITIC will present you with the **Utility Notification List** once tickets are released. This page contains a complete list of the Facility Operators to be notified as a result of your ticket(s).



Suggested Next Step
 Tickets for this session have been completed. Click on "ISITE HOME" in the upper right corner to start a new session.



ISITE Home Help
Admin Chat

Ticket A
261690003

Ticket B
261690001

Ticket C
261690002

UTILITY NOTIFICATION LIST

District	Company	City
BDF	BETTENDORF, CITY OF	
DPW	CITY OF DAVENPORT	DAVENPORT
IWD	IOWA AMERICAN WATER COMPANY	
M50E	MIDAMER-ELEC	
M50G	MIDAMER-GAS	
TC1	MEDIACOM COMMUNICATIONS CORPOR	MOLINE

Number of Districts: 6
You Must Contact Any Other Utilities Directly

RELEASE SUMMARY

ticket has been processed.

SESSION DISPOSITION

Ticket	State/County	Place	Address	Cross Street	Ticket Type	Action Date	Action
261690003	IA/SCOTT	DAVENPORT	3225 CRESTLINE DR	ELMORE AVE	COMPLIANT	Start Date: 6/21/2016 at 01:00	SUBMITTED
261690001	IA/SCOTT	PLEASANT VALLEY TWP	6TH ST	BROADLAWN AVE	COMPLIANT	Start Date: 6/21/2016 at 01:00	SUBMITTED
261690002	IA/SCOTT	BETTENDORF	6TH ST	BROADLAWN AVE	COMPLIANT	Start Date: 6/21/2016 at 01:00	SUBMITTED

LOGOUT

You can now choose to log out, or return to the iSite main menu.



IOWA 811
ONE CALLSM

ITIC ADVANCED GUIDE

ADVANCED/ALTERNATE SEARCH

Use the Advanced Search if you are unable to find your worksite with the Starting Address Location search.

Advanced Street

Search can be used to search for roads and intersections.

The screenshot shows the 'Advanced Street Search' form. It includes input fields for State (IA), County, City/Place (Cedar Rapids), Addr, Street (Washington Ave SE), and Cross Street (15th St SE). At the bottom, there are 'Search', 'Clear', and 'Cancel' buttons.

Coordinate

Search can be used for latitude/longitude and other coordinate type formats.

The screenshot shows the 'Coordinate Search' form. It features radio buttons for coordinate formats: Decimal Lat/Lng (selected), DMS Lat/Lng, GPS, SPCS, and UTM. Below these are input fields for Lat (41.647290) and Lng (-91.535742). At the bottom, there are radio buttons for NAD 27 and NAD 83 (selected), and 'Search', 'Clear', and 'Cancel' buttons.

Grid

Search allows for searching based on grid names in various formats, such TRSQ.*

The screenshot shows the 'Grid Search' form. It has radio buttons for grid types: TRSQ (selected), TSQ, MAPSCO/Keymap, and Autogen. Below are input fields for Township (147N), Range (33W), Section (33), and Quarter (NW). At the bottom, there are 'Search', 'Clear', and 'Cancel' buttons.

Prev Ticket

Search can be used to show the excavation polygons from previously filed tickets.

The screenshot shows the 'Ticket Search' form. It includes a dropdown menu for State (IA) and an input field for Ticket Number (160330201). At the bottom, there are 'Search', 'Clear', and 'Cancel' buttons.

GPS Location

Centers the map on your current location. NOTE: GPS Location Search only works if your device is GPS equipped.

* Not all grid types can be used in Iowa.

CREATE CIRCLE

Create Circle


The **Create Circle** tool allows users to create circular excavation entities with a pre-determined radius. The Create Circle tool is an excellent choice for jobs involving pole installation, tree planting, or any other type of work where a circle best describes the work area. You can create as many Circle entities as needed.

First, click **Create Circle**. You will be prompted to enter a series of information.

The radius refers to the size of the circle.


The drop-down menu is used to indicate how the worksite is designated.

The Description field is used for additional information for locating and/or describing the worksite. This information is not required, but can help locators to find and mark the worksite correctly.



Once you have entered the information click **Ok**.

Now click on the map where you would like to place your circle.




CREATE CIRCLE - CONTINUED

Create Circle

You can continue placing circular excavation entities by clicking on the map.

When you are finished click the **End Circle** button.



To expand or edit the excavation entity click the **Edit Locate(s)** button.

CREATE ROUTE Create Route


The **Create Route** tool allows users to create long, narrow excavation entities. The **Create Route** tool is an excellent choice for defining an excavation area when trenching, performing road repair/replacement, or any other type of work involving a long, narrow excavation area. You can create as many Route entities as needed.

First, click **Create Route**. You will be prompted to enter a series of information.

The width will specify the width of the route.

The drop-down menu is used to indicate how the worksite is designated.

The Description field is used for additional information for locating and/or describing the worksite.



Once you have entered the information click **Ok**.

CREATE ROUTE - CONTINUED

Create Route

Now click on the map where you would like to begin your route. Move the mouse to the next turning point in your route and click again. Continue this process until your entire route has been covered, then click the **End Route** button.

NextGen Suggested Next Step
Enter the smallest width needed for the route, but one large enough to cover excavation areas. After entering a width, click on the map to create as many points in the route as desired and needed. Lengths of the segment and total route will be displayed at the top of the map. Multiple routes may be created by right-clicking to end a route and then left clicking to start a new route. Click the 'End Route'

Starting Address Location: Iowa State Capitol - West Capitol Terrace, Iowa State Capitol, 1007 E Grand Ave, Des Moines, IA 50319, U

Lat/Lon: 41.649861 -91.514548 Segment Length Total Length: 162 ft

Map labels: Kirkwood Ave Church of Christ, Kirkwood Ave, Longfellow Nature Trail, Longfellow Nature Trail, Longfellow Nature Trail, Longfellow Nature Trail


Route creation labels: START, CLICK, CLICK, CLICK, CLICK

Right sidebar buttons: Call Center, Sat, Google, Placemark, Measure, Identify, Create Circle, End Route, Select Parcel, Select Feature, Create Polygon, Load Shapefile

CREATE ROUTE - CONTINUED

Create Route

Clicking the **End Route** button will convert the route to an excavation entity with the width you had previously designated. To expand or edit the excavation entity click the **Edit Locate(s)** button.




SELECT PARCEL

Select Parcel

The **Select Parcel** tool allows users to create polygons based on available parcel data. The **Select Parcel** tool should be used when you are excavating on a specific address/parcel of land. You can create as many Parcel entities as needed.

First click the **Select Parcel** tool. Then click on the area of excavation. If parcel data is available the entire parcel will be highlighted. You will also be prompted to describe what section of the parcel the work will take place in.



Use the check boxes to describe your work area, then click OK.

SELECT PARCEL - CONTINUED

Select Parcel

When you have finished click the End Parcel button.

To expand or edit the excavation entity click the Edit Locate(s) button.

NextGen SUGGESTED NEXT STEP
Click on the map to select a parcel. The parcel boundary will be shown in red. Select as many pieces of the parcel as desired. Selected pieces appear in green. Clicking on a piece a second time will de-select that piece. To extend the excavation area beyond the parcel boundary, click the 'Extend' button inside the 'End Parcel'

ONE CALL CONCEPTS When safety is on the line
ISITE Home Help
Admin Chat


Starting Address Location: 1 Line Dr, Des Moines, IA 50309, USA
Lat/Lon: 41.579350 -93.618125

Map data ©2018 Google Imagery ©2018, DigitalGlobe | 20 m | Terms of Use | Report a map error

SELECT FEATURE

Select Feature

The **Select Feature** tool allows users to create excavation entities based on available map features, such as roads and highways. Select Feature is a good choice for excavations taking place along existing roadways. You can create as many Feature entities as needed.




First click the **Select Feature** tool. You will be prompted to enter a width in feet. Once you have specified a width click **Ok**.


SELECT FEATURE - CONTINUED

Select Feature

Next click on the road where the work will take place, at the beginning of the work area.



Then designate the end of the work area with a second click. If the feature is available an orange border will appear along that section of road.




To expand or edit the excavation entity click the Edit Locate(s) button.

CREATE POLYGON

Create Polygon

The **Create Polygon** tool should only be used when no other mapping options will adequately define the excavation area. The **Create Polygon** tool allows you to “free-hand” draw an excavation entity. When using the **Create Polygon** tool please keep the excavation polygon as small as possible, yet large enough to cover the entire planned excavation area.

First click the **Create Polygon** button. Begin by making a single click on the map where you would like to set your first point.




Continue setting points until you completely encompass the entire area of excavation.

CREATE POLYGON - CONTINUED

Create Polygon

To close/complete the polygon, simply click the same square point where you began.



You will then be prompted to enter information about the dig site. All fields are required.

Once you have completed the form click OK.



To expand or edit the excavation entity click the Edit Locate(s) button.


CREATE GPS

Create GPS

The **Create GPS** tool utilizes the GPS capabilities on your device* to create an excavation entity by walking the excavation perimeter and designating points. You can create as many GPS entities as needed.

When physically located at your work site walk to a corner of your excavation area and click the **Create GPS** button. This will activate **GPS Mode**. You should see a small purple pin-mark on the map where you are standing.

* Please note that some devices may not have the required GPS capability needed to use this feature.



NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

Waiting for GPS


Attempt: 0
Current accuracy: 21.392 meters
Required accuracy: 20 meters

Cancel

CREATE GPS - CONTINUED

Create GPS

You can now begin laying down borders for your GPS excavation entity. First click the **Add to GPS** button. This will place a corner point (represented by a small white box) where you are standing.



NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

Waiting for GPS


Attempt: 0
Current accuracy: 21.392 meters
Required accuracy: 20 meters

Cancel

CREATE GPS - CONTINUED

Create GPS

Walk to the next corner of your excavation area. You should see a blue line trailing from your current location to the last corner point you placed.



NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

Waiting for GPS


Attempt: 0
Current accuracy: 21.392 meters
Required accuracy: 20 meters

Cancel

CREATE GPS - CONTINUED

Create GPS

Click **Add to GPS** to add another corner point.



NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

Waiting for GPS

Attempt: 0
Current accuracy: 21.392 meters
Required accuracy: 20 meters


Cancel

CREATE GPS - CONTINUED

Create GPS

Continue to walk the border of your work site until you have encompassed your entire excavation area.

When you are ready click **End GPS** to close out the excavation entity.




NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

Waiting for GPS

Attempt: 0
Current accuracy: 21.392 meters
Required accuracy: 20 meters

Cancel

The completed GPS excavation entity will appear on the map in orange.



NOTE: ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.




ENTITY GROUPING

The Entity Grouping menu allows you to choose between creating a separate ticket for each excavation entity, or combining multiple entities into one or more tickets.

To access the Entity Grouping menu click the white arrow located near the NEXT button in the lower-right corner of the screen.


Choose "One Excavation Entity per Ticket" to have ITIC create a different ticket for each Excavation Entity in your session.



NOTE: No matter what you choose in the Entity Grouping menu, the rules as established by IOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.

ENTITY GROUPING - CONTINUED

Choose "Group Excavation Entities for Tickets" to combine multiple entities into one (or more) ticket(s).




Click the "Start Group" button, then click on each entity you would like to group together. A small icon will appear next to each entity labeling it part of Group A, Group B, etc.

Click the "Clear Group" button to clear the current group you are on.

NOTE: No matter what you choose in the Entity Grouping menu, the rules as established by IOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.

ENTITY GROUPING - CONTINUED

Choose “Group Excavation Entities for Tickets” to combine multiple entities into one (or more) ticket(s).



Click the “Start Group” button, then click on each entity you would like to group together. A small icon will appear next to each entity labeling it part of Group A, Group B, etc.

Click the “Clear Group” button to clear the current group you are on.

NOTE: No matter what you choose in the Entity Grouping menu, the rules as established by IOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.

ENTITY GROUPING - CONTINUED

If your grouping preferences conform to the the notification policies as set by Iowa One Call, ITIC will combine the excavation entities in the manner you have specified.

The screenshot displays the ITIC interface for a ticket. On the left, the 'LOCATION INFORMATION' section is filled out with the following details: COUNTY: DUBUQUE, CITY: DUBUQUE, ADDRESS #: 1525, DIG STREET: ALTA VISTA ST, NEAREST INTERSECTING STREET: VERNON ST. The 'MARKING INSTRUCTIONS' section contains text: 'This ticket contains multiple locations: 3 Excavation Parcels. The first excavation parcel is at 1525 ALTA VISTA ST. The excavation site is contained within the NE quarter of the lot. The second excavation parcel is at 1525 ALTA VISTA ST. The excavation site is contained within the NE quarter of the lot. The third excavation parcel is at 1525 ALTA VISTA ST. The excavation site is contained within the NE quarter of the lot.' The 'SECTION' dropdown is set to 'QTR: NE | NW | SE | SW'. On the right, a satellite map shows three distinct orange rectangular areas labeled 'Ticket A' on a residential street. A 'Call Center' menu is visible on the far right with options: Sat, Google, Measure, Identify, and Frame Locate(s).

The screenshot displays the ITIC interface for a ticket. On the left, the 'LOCATION INFORMATION' section is filled out with the following details: COUNTY: DUBUQUE, CITY: DUBUQUE, ADDRESS #: [blank], DIG STREET: ALTA VISTA ST, NEAREST INTERSECTING STREET: EDINA ST. The 'MARKING INSTRUCTIONS' section contains text: 'The excavation route begins at the intersection of ALTA VISTA ST and EDINA ST. Starting at this point (point 1), proceed along ALTA VISTA ST 350 feet SSE(ending at point 2). The excavation takes place within a 20 foot width of this entire route. Point 1: Lat:-42.50428 Long:-90.682653 Point 2: Lat:-42.503454 Long:-90.681987'. The 'SECTION' dropdown is set to 'QTR: NE | NW | SE | SW'. On the right, a satellite map shows a single orange line representing an excavation route along a street, labeled 'Ticket B'. A 'Call Center' menu is visible on the far right with options: Sat, Google, Measure, Identify, and Frame Locate(s).

If you do not choose an option in the Entity Grouping Menu ITIC will split or combine the excavation entities as efficiently as possible.

NOTE: No matter what you choose in the Entity Grouping menu, the rules as established by IOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.

PRECISE MAPPING AND WHY IT'S IMPORTANT

NextGen automatically creates Location Information based on the excavation entities you create in the map interface. NextGen uses base map data to convert the areas you have mapped into literal marking instructions. It is essential that you create excavation entities that precisely match your dig area(s) for the best results possible. To facilitate this, NextGen offers several options for creating your excavation entities.

Let's take a look at a few examples:

EXAMPLE 1

The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the

Ticket A

EXCAVATOR INFORMATION

EXCAVATION INFORMATION PROFILE

LOCATION INFORMATION

COUNTY: POLK

CITY: ELSEWHERE CITY CITY LIMITS: Y

ADDRESS #: 7701

DIG STREET: CANTON AVE

NEAREST INTERSECTING STREET: EASTOVER AVE

ANOTHER INTERSECTING STREET: MT OLIVE AVE

LOCATION DESCRIPTION: The excavation route is located in the lot at 7701 CANTON AVE. The first point is located approximately 1185 feet SE from the northwest corner of the lot. Starting at this point (point 1), proceed approximately 215 feet N to point 2; from that point approximately 690 feet E to point 3. Mark a 40 foot width for the entire route.

OTHER INFO

CC EMAIL ATTACH

Lat/Lon: 38.675690 -90.337227

Call Center

Sat

Google

Measure

Identify

Frame Locate(s)

The excavation route is located in the lot at 7701 CANTON AVE. The first point is located approximately 1185 feet SE from the northwest corner of the lot. Starting at this point (point 1), proceed approximately 215 feet N to point 2; from that point approximately 690 feet E to point 3. Mark a 40 foot width for the entire route.

In this example, work is taking place along a walking path that starts at the intersection of Eastover Ave and Canton Ave, going north and then east to the intersection of the walking path and a dirt path going north. The Create Route tool will be the most effective in this situation.

Using satellite imagery to guide the mapping, we've drawn a Route entity going north from the intersection of Eastover Ave and Canton Ave to the turn in the path, then east to the intersection with the dirt path.

NextGen then analyzes the excavation entity and creates marking instructions and location information to describe the area enclosed by the user.

PRECISE MAPPING AND WHY IT'S IMPORTANT - CONTINUED

EXAMPLE 2

The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the "Information" tabs below to

Ticket A
GROUP A

EXCAVATOR INFORMATION

EXCAVATION INFORMATION PROFILE

LOCATION INFORMATION

COUNTY: POLK

CITY: ELSEWHERE CITY CITY LIMITS: Y

ADDRESS #: 2500

DIG STREET: LEXINGTON DR

NEAREST INTERSECTING STREET: ROLLING HILLS DR

ANOTHER INTERSECTING STREET: SARATOGA BLVD

LOCATION DESCRIPTION: This ticket contains multiple locations: 3 Excavation Parcels.
The first excavation parcel is at 2500 LEXINGTON DR. Mark the entire lot.
The second excavation parcel is at 2508 LEXINGTON DR. Mark the south half of the lot.
The third excavation parcel is at 2504 LEXINGTON DR. Mark the south half of the lot.

OTHER INFO

Lat/Lon 38.551597 -92.219047

Call Center
Sat
Google
Measure
Identify
Frame Locate(s)

This ticket contains multiple locations: 3 Excavation Parcels.

The first excavation parcel is at 2500 LEXINGTON DR. Mark the entire lot.

The second excavation parcel is at 2508 LEXINGTON DR. Mark the south half of the lot.

The third excavation parcel is at 2504 LEXINGTON DR. Mark the south half of the lot.

In this example, landscaping will take place in the front and back yards of addresses 2500, 2504, and 2508 Lexington Dr. The Select Parcel tool will be the most effective in this situation.

Using satellite imagery we can see that we needed to select only the south halves of the parcels for the 2504 and 2508. However, we selected the entire parcel of 2500 Lexington Dr in order to encompass both the back and front yards of that address.

PRECISE MAPPING AND WHY IT'S IMPORTANT - CONTINUED

EXAMPLE 3

The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red exclamation point in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the

Ticket A !
GROUP A

EXCAVATOR INFORMATION

EXCAVATION INFORMATION ! **PROFILE**

LOCATION INFORMATION

COUNTY: POLK
CITY: ELSEWHERE CITY CITY LIMITS: Y
ADDRESS #: 7500-1599
DIG STREET: TRENTON AVE
NEAREST INTERSECTING STREET: HARRISON AVE
ANOTHER INTERSECTING STREET: LAMB AVE
LOCATION DESCRIPTION: The excavation route begins at the intersection of TRENTON AVE and HARRISON AVE. Starting at this point (point 1), proceed along TRENTON AVE 665 feet E to LAMB AVE(point 2). Next proceed along LAMB AVE 370 feet S (ending at point 3). Mark a 40 foot width for the entire route.
OTHER INFO:

Lat/Lon: 38.679776 -90.330470

Call Center
Sat
Google
Measure
Identify
Frame Locate(s)

CC EMAIL ATTACH

The excavation route begins at the intersection of TRENTON AVE and HARRISON AVE. Starting at this point (point 1), proceed along TRENTON AVE 665 feet E to LAMB AVE(point 2). Next proceed along LAMB AVE 370 feet S (ending at point 3). Mark a 40 foot width for the entire route.

In this example, work is taking place in the road right of way of Trenton Ave between Harrison Ave and Lamb Ave, then in the road right of way of Lamb Ave between Trenton Ave and Milan Ave. The Select Feature tool will be the most effective in this situation.

Using the Select Feature tool we can simply click on the two blocks the work is taking place on, and NextGen creates an entity that encompasses both blocks. Because we've specified a width of 40ft, this is translated into the marking instructions.

IN CLOSING

This ends the ITIC User's Manual. Remember to keep this manual handy when filing locate requests using ITIC, and refer back to it. If you require further assistance there are several resources available to you:

Tutorial Videos – Tutorial videos are available online at <http://www.iaitcnexgen.com/resources/>.

Live Chat – Click the Chat button in the upper-right corner of the screen to chat with a live operator. Live Chat is only available during normal business hours.



Contact the Notification Center – Email Iowa One Call at ialead@occinc.com.

